


Tap (sintered steel) for steel, aluminium alloys, plastics and composites.
Reinforced tail.



- Especially for aluminium
- Precise and long-lasting thread tapping
- Made in Spain

- Spiral flute

Machine



Application

N 1.1	N 1.2	N 1.3	N 1.5	N 1.6	N 1.7	N 3
N1-1- Aluminum- Series 1000 Alloy: Pure	N1-2- Aluminum- Series 2000 Alloy: with copper	N1-3- Alloy based on aluminum- series 3000: with manganese	N1-5- Aluminum- Series 5000 Alloy: with magnesium	N1-6- Alloy- based aluminum- series 6000: with magnesium and silicon	N1-7- Aluminum- Series Alloy 7000: With Zinc	N3- Copper alloy

Features



Properties and benefits

- + Spiral flute : A flute shape that allows chips to be evacuated through the entrance to the hole. ➡ Allows better heat resistance due to better chip evacuation. For blind holes.



Code	EAN	Thread	Ø	Pitch	Norm	Drill	L	I	I4	I5	QTY	PCB
960506100300050	8420609318559	M 3	0,5	DIN 371	2,50	56	10	2-2.5	2,70	1	1	
960506100400070	8420609318573	M 4	0,7	DIN 371	3,30	63	12	2-2.5	3,40	1	1	
960506100500080	8420609318580	M 5	0,8	DIN 371	4,20	70	14	2-2.5	4,90	1	1	
960506100600100	8420609318597	M 6	1	DIN 371	5,00	80	16	2-2.5	4,90	1	1	
960506100800125	8420609318627	M 8	1,25	DIN 371	6,75	90	18	2-2.5	6,20	1	1	
960506101000150	8420609318672	M 10	1,5	DIN 371	8,50	100	20	2-2.5	8,00	1	1	